

Tyron Festival Theatre
Krannert Center for the Performing Arts










The Royale Final Light Plot HE Copy.lw6

LD: Yingman Tang
ALD: Nicole Rataj
HE: Brian Runge




Ceiling Slot 1

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	ETC Source4 19deg	16'-1"	 R55+R132	(27)	1/200	200
2	ETC Source4 19deg	15'-1"	 R55+R132	(435)	1/199	199
3	ETC Source4 19deg	13'-7"			1/198	198
4	ETC Source4 19deg	12'-1"	 R55+R132	(26)	1/197	197
5	ETC Source4 19deg	10'-7"	 R55+R132	(35)	1/196	196
6	ETC Source4 19deg	9'-1"	 R55+R119	(334)	1/195	195
7	ETC Source4 19deg	7'-7"	 R55+R119	(336)	1/194	194
8	ETC Source4 19deg	6'-1"	 R55+R132	(25)	1/193	193
9	ETC Source4 19deg	4'-7"	 R55+R132	(434)	1/192	192
10	ETC Source4 19deg	3'-1"	 R55+R132	(34)	1/191	191
11	ETC Source4 19deg	1'-7"	 R55+R132	(433)	1/190	190
12	ETC Source4 19deg	0'-1"	 R55+R132	(24)	1/189	189
13	ETC Source4 19deg	-1'-5"	 R55+R132	(33)	1/188	188
14	ETC Source4 19deg	-2'-11"	 R55+R132	(432)	1/187	187
15	ETC Source4 19deg	-4'-5"	 R55+R132	(32)	1/186	186
16	ETC Source4 19deg	-5'-11"	 R55+R132	(23)	1/185	185
17	ETC Source4 19deg	-7'-5"	 R55+R119	(335)	1/184	184
18	ETC Source4 19deg	-8'-11"	 R55+R119	(333)	1/183	183
19	ETC Source4 19deg	-10'-5"	 R55+R132	(31)	1/182	182
20	ETC Source4 19deg	-11'-11"	 R55+R132	(22)	1/181	181
21	ETC Source4 19deg	-13'-5"			1/180	180
22	ETC Source4 19deg	-14'-11"			1/179	179
23	ETC Source4 19deg	-16'-5"	 R55+R132	(431)	1/178	178
24	ETC Source4 19deg	-17'-7"	 R55+R132	(21)	1/177	177



Ceiling Slot 2

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	ETC Source4 10deg 750W	16'	 R53+R132	(4)	1/216	216
2	ETC Source4 10deg 750W	14'-6"	 R53+R132	(3)	1/215	215
3	ETC Source4 10deg 750W	11'-6"	 R55+R132	(15)	1/214	214
4	ETC Source4 10deg 750W	10'			1/213	213
5	ETC Source4 10deg 750W	7'-6"	 R55+R132	(14)	1/212	212
6	ETC Source4 10deg 750W	6'			1/211	211
7	ETC Source4 10deg 750W	1'-6"	 R55+R132	(13)	1/210	210
8	ETC Source4 10deg 750W	0'			1/209	209
9	ETC Source4 10deg 750W	-3'	 R55+R132	(12)	1/208	208
10	ETC Source4 10deg 750W	-6'			1/207	207
11	ETC Source4 10deg 750W	-7'-6"	 R55+R132	(11)	1/206	206
12	ETC Source4 10deg 750W	-10'			1/205	205
13	ETC Source4 10deg 750W	-11'-6"			1/204	204
14	ETC Source4 10deg 750W	-13'			1/203	203
15	ETC Source4 10deg 750W	-14'-6"	 R53+R132	(1)	1/202	202
16	ETC Source4 10deg 750W	-16'	 R53+R132	(2)	1/201	201




HL Side Slot 1

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	ETC Source4 19deg	-27'-7"	 R3407+R01, T: G673	(401)	1/248	248
2	ETC Source4 19deg+Light Acc Iris	-30'-8"	 R362, T:R77806	(351)	1/247	247
3	ETC Source4 19deg	-28'-4"			1/246	246
4	ETC Source4 19deg	-29'-11"			1/245	245
5	ETC Source4 19deg	-27'-7"			1/244	244
6	ETC Source4 19deg	-30'-8"			1/243	243
7	ETC Source4 19deg	-28'-4"			1/242	242
8	ETC Source4 19deg	-29'-11"			1/241	241
9	ETC Source4 19deg	-27'-7"	 R119	(451)	1/240	240
10	ETC Source4 19deg	-30'-8"			1/239	239
11	ETC Source4 19deg	-28'-4"			1/238	238
12	ETC Source4 19deg	-30'-8"			1/237	237
A	ETC Source4 PAR WFL	-29'-1"			1/234	234





HR Side Slot 1

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	ETC Source4 19deg	27'-7"	 R3407+R01, T: G673	(402)	1/217	217
2	ETC Source4 19deg	30'-8"			1/218	218
3	ETC Source4 19deg	28'-4"			1/219	219
4	ETC Source4 19deg	29'-11"			1/220	220
5	ETC Source4 19deg	27'-7"			1/221	221
6	ETC Source4 19deg	30'-8"			1/222	222
7	ETC Source4 19deg	28'-4"			1/223	223
8	ETC Source4 19deg	29'-11"			1/224	224
9	ETC Source4 19deg	27'-7"	 R119	(452)	1/225	225
10	ETC Source4 19deg	30'-8"			1/226	226
11	ETC Source4 19deg	28'-4"			1/227	227
12	ETC Source4 19deg	30'-8"			1/228	228
A	ETC Source4 PAR WFL	29'-1"			1/229	229























HL Ladder 1

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	ETC Source4 26deg	-16'-11"	 R3202+R119	(223)	1/44	44
2	ETC Source4 26deg	-16'-11"			1/43	43
3	ETC Source4 36deg	-14'-3"	 R3208+R119	(213)	1/46	46
4	ETC Source4 36deg	-14'-3"				
5	ETC Source4 36deg	-11'-7"	 R3206+R119	(203)	1/48	45
6	ETC Source4 36deg	-11'-7"				










HR Ladder 1

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	ETC Source4 26deg	17'	 R3202+R119	(224)	1/68	68
2	ETC Source4 26deg	17'				67
3	ETC Source4 36deg	14'-4"	 R3208+R119	(214)	1/70	70
4	ETC Source4 50deg	14'-4"	 R3206+R119	(372)	1/69	69
5	ETC Source4 36deg	11'-8"	 R3206+R119	(204)	1/72	67
6	ETC Source4 36deg	11'-8"				







Ground

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	USITT Birdie-MFL	-19'-10"	 R3202+R119	(339)	1/49	49
2	USITT Birdie-MFL	-14'-6"	 R60+R119	(357)	1/50	50
3	USITT Birdie-MFL	0'	 R60+R119	(359)	1/51	51
4	USITT Birdie-MFL	12'-10"	 R3206+R119	(360)	1/73	73
5	USITT Birdie-MFL	13'-8"	 R3206+R119	(360)	1/74	74
6	USITT Birdie-MFL	19'-10"	 R3202+R119	(340)	1/75	75
A.1	MiniStrip	-16'	 R132	(306)	1/53	53
A.2	MiniStrip	-16'	 R53+R132	(307)	1/54	54
A.3	MiniStrip	-16'	 R3208+R132	(308)	1/55	55
A.4	MiniStrip	-16'	 R02+R132	(309)	1/56	56
B.1	MiniStrip	-5'-3"	 R132	(302)	1/65	65
B.2	MiniStrip	-5'-3"	 R53+R132	(303)	1/66	66
B.3	MiniStrip	-5'-3"	 R3208+R132	(304)	1/41	41
B.4	MiniStrip	-5'-3"	 R02+R132	(305)	1/42	42
C.1	MiniStrip	5'-3"	 R132	(302)	1/65	65
C.2	MiniStrip	5'-3"	 R53+R132	(303)	1/66	66
C.3	MiniStrip	5'-3"	 R3208+R132	(304)	1/41	41
C.4	MiniStrip	5'-3"	 R02+R132	(305)	1/42	42
D.1	MiniStrip	16'	 R132	(306)	1/57	57
D.2	MiniStrip	16'	 R53+R132	(307)	1/58	58
D.3	MiniStrip	16'	 R3208+R132	(308)	1/59	59
D.4	MiniStrip	16'	 R02+R132	(309)	1/60	60














Lightbridge DS

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	ETC Source4 36deg	17'-6"	 R53+R119	(113)	1/133	133
2	High End SolaFrame2000	13'-9"		(502)	3/49	C2
3	ETC Source4 26deg	12'	 R55+R119	(47)	1/134	134
4	Chauvet COLORado 3 Solo+ Light Acc 7.5in 4 Leaf Barn Door	10'-6"		(65)	3/213	C1
5	ETC Source4 26deg	7'	 R55+R119	(46)	1/135	135
6	Chauvet COLORado 3 Solo+ Light Acc 7.5in 4 Leaf Barn Door	5'-6"		(64)	3/196	C1
7	ETC Source4 26deg	4'	 R55+R119	(45)	1/136	136
8	Chauvet COLORado 3 Solo+ Light Acc 7.5in 4 Leaf Barn Door	0'		(63)	3/179	C1
9	ETC Source4 26deg	-1'	 R55+R119	(44)	1/111	111
10	Chauvet COLORado 3 Solo+ Light Acc 7.5in 4 Leaf Barn Door	-5'-6"		(62)	3/162	C1
11	ETC Source4 26deg	-6'-5"	 R55+R119	(43)	1/110	110
12	ETC Source4 26deg	-7'-9"	 R55+R119	(42)	1/109	109
13	Chauvet COLORado 3 Solo+ Light Acc 7.5in 4 Leaf Barn Door	-10'-6"		(61)	3/145	C1
14	ETC Source4 26deg	-11'-9"	 R55+R119	(41)	1/108	108
15	High End SolaFrame2000	-13'-9"		(501)	3/1	C2
16	ETC Source4 36deg	-17'-6"	 R53+R119	(112)	1/107	107














Lightbridge US

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	ETC Source4 36deg	23'-2"	 R53+R119	(114)	1/137	137
2	ETC Source4 36deg	19'	 R17, T:R71025	(362)	1/138	138
3	Chauvet COLORado 3 Solo	13'		(75)	3/298	C3
4	Chauvet COLORado 3 Solo	6'		(74)	3/281	C3
5	ETC Source4 19deg	5'-1"	 R55+R119	(332)	1/113	113
6	Chauvet COLORado 3 Solo	0'		(73)	3/264	C3
7	ETC Source4 19deg	-5'-1"	 R55+R119	(331)	1/114	114
8	Chauvet COLORado 3 Solo	-6'		(72)	3/247	C3
9	Chauvet COLORado 3 Solo	-13'		(71)	3/230	C3
10	ETC Source4 36deg	-19'	 R17, T:R71025	(361)	1/115	115
11	ETC Source4 36deg	-23'-2"	 R53+R119	(111)	1/116	116

LX 1

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	Chauvet COLORado 3 Solo	13'-8"		(86)	3/400	C4
2	ETC Source4 36deg	12'-6"	 R55+R119	(55)	1/169	169
3	USITT PAR64-MFL+Light Acc 10in Barn Door	9'	 R16+R119	(318)	1/170	170
4	ETC Source4 36deg	7'-7"	 R55+R119	(54)	1/171	171
5	Chauvet COLORado 3 Solo	6'-6"		(85)	3/383	C4
6	USITT PAR64-MFL	3'	 R16+R119	(317)	1/172	172
7	Chauvet COLORado 3 Solo	1'-8"		(84)	3/366	C4
8	High End SolaFrame2000	0'		(503)	3/97	C4
9	Chauvet COLORado 3 Solo	-1'-8"		(83)	3/349	C4
10	USITT PAR64-MFL	-3'	 R16+R119	(316)	1/173	173
11	ETC Source4 36deg	-4'	 R55+R119	(53)	1/98	98
12	ETC Source4 36deg	-5'	  R02+R119, T: G391	(342)	1/97	97
13	Chauvet COLORado 3 Solo	-6'-6"		(82)	3/332	C4
14	ETC Source4 36deg	-7'-8"	 R55+R119	(52)	1/96	96
15	USITT PAR64-MFL+Light Acc 10in Barn Door	-9'	 R16+R119	(315)	1/95	95
16	ETC Source4 36deg	-12'-6"	 R55+R119	(51)	1/94	94
17	Chauvet COLORado 3 Solo	-13'-8"		(81)	3/315	C4
18	ETC Source4 36deg	-15'	  R02+R119, T: G391	(341)	1/93	93



LX 2

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	ETC Source4 36deg	23'-6"	 R53+R119	(124)	1/141	141
2	ETC Source4 26deg	21'-1"	 R3407+R01, T: G673	(404)	1/142	142
3	ETC Source4 36deg	15'-6"	 R53+R119	(123)	1/143	143
4	ETC Source4 36deg	13'-6"	 R362, T:R77806	(352)	1/144	144
5	USITT PAR64-MFL	9'	 R16+R119	(322)	1/145	145
6	ETC Source4 50deg	7'-7"	 R53+R119	(355)	1/146	146
7	USITT PAR64-MFL	3'	 R16+R119	(321)	1/139	139
8	USITT PAR64-MFL	-3'	 R16+R119	(320)	1/140	140
9	USITT PAR64-MFL+Light Acc 10in Barn Door	-9'	 R16+R119	(319)	1/155	155
10	ETC Source4 36deg	-15'-6"	 R53+R119	(122)	1/156	156
11	ETC Source4 36deg	-18'-6"	 R02+R119, T: G391	(343)	1/157	157
12	ETC Source4 26deg	-21'	 R3407+R01, T: G673	(403)	1/158	158
13	ETC Source4 36deg	-23'-6"	 R53+R119	(121)	1/86	86




LX 3

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	ETC Source4 26deg	23'	 L237, T:R78734	(371)	1/149	149
2	ETC Source4 36deg	19'	 R17, T:R71025	(364)	1/150	150
3	High End SolaFrame2000	13'-9"		(505)	4/49	C8
4	Chauvet COLORado 3 Solo	11'-6"		(96)	4/230	C7
5	USITT PAR64-MFL+Light Acc 10in Barn Door	9'	 R16+R119	(326)	1/151	151
6	Chauvet COLORado 3 Solo	7'-9"		(95)	4/213	C7
7	Martin MAC 301	6'-6"		(512)	4/368	C7
8	USITT PAR64-MFL+Light Acc 10in Barn Door	3'	 R16+R119	(325)	1/152	152
9	Chauvet COLORado 3 Solo	1'-8"		(94)	4/196	C7
10	ETC Source4 50deg	0'-8"	 R16+R119	(350)	1/153	153
11	ETC Source4 36deg	0'-7"	 R02+R119, T: G391	(344)	1/154	154
12	Chauvet COLORado 3 Solo	-1'-6"		(93)	4/179	C7
13	USITT PAR64-MFL+Light Acc 10in Barn Door	-3'	 R16+R119	(324)	1/84	84
14	Martin MAC 301	-6'-6"		(511)	4/349	C7
15	Chauvet COLORado 3 Solo	-7'-9"		(92)	4/162	C7
16	USITT PAR64-MFL+Light Acc 10in Barn Door	-9'	 R16+R119	(323)	1/83	83
17	Chauvet COLORado 3 Solo	-11'-6"		(91)	4/145	C7
18	High End SolaFrame2000	-13'-9"		(504)	4/1	C8
19	ETC Source4 36deg	-19'	 R17, T:R71025	(363)	1/82	82
20	ETC Source4 36deg	-21'-8"	 R362, T:R77806	(353)	1/81	81


LX 4

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	ETC Source4 36deg	23'-7"	 R53+R119	(134)	1/165	165
2	ETC Source4 36deg	19'	 R17, T:R71025	(366)	1/166	166
3	ETC Source4 19deg	17'-2"	 R16+R119, T: R77738	(347)	1/167	167
4	ETC Source4 36deg	15'-6"	 R53+R119	(133)	1/168	168
5	ETC Source4 26deg	12'-8"	 R3407+R01, T: G673	(406)	1/124	124
6	Chauvet COLORado 3 Solo+ Light Acc 7.5in 4 Leaf Barn Door	11'-6"		(106)	4/332	C9
7	ETC Source4 50deg	10'-1"	 R16+R119	(356)	1/123	123
8	ETC Source4 19deg	9'	 R77+R119, T: R77738	(346)	1/122	122
9	Chauvet COLORado 3 Solo+ Light Acc 7.5in 4 Leaf Barn Door	6'-6"		(105)	4/315	C9
10	Martin MAC 301	4'-9"		(514)	4/406	C10
11	Chauvet COLORado 3 Solo+ Light Acc 7.5in 4 Leaf Barn Door	2'-9"		(104)	4/298	C9
12	ETC Source4 36deg	1'-8"	 R3407+R01, T: G673	(408)	1/121	121
13	High End SolaFrame2000	0'		(506)	4/97	C10
14	ETC Source4 36deg	-1'-8"	 R3407+R01, T: G673	(407)	1/120	120
15	Chauvet COLORado 3 Solo+ Light Acc 7.5in 4 Leaf Barn Door	-2'-9"		(103)	4/281	C9
16	Martin MAC 301	-4'-9"		(513)	4/387	C10
17	Chauvet COLORado 3 Solo+ Light Acc 7.5in 4 Leaf Barn Door	-6'-6"		(102)	4/264	C9
18	Chauvet COLORado 3 Solo+ Light Acc 7.5in 4 Leaf Barn Door	-11'-6"		(101)	4/247	C9
19	ETC Source4 26deg	-12'-8"	 R3407+R01, T: G673	(405)	1/119	119

LX 4

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
20	ETC Source4 36deg	-15'-5"	 R53+R119	(132)	1/118	118
21	ETC Source4 36deg	-19'	 R17, T:R71025	(365)	1/117	117
22	ETC Source4 36deg	-23'-5"	 R53+R119	(131)	1/87	87

LX 5

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	Altman 14in Scoop	-11'-9"	 N/C	(367)	1/88	88

Lineset 4

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	Pendant Light	-244'-5"		(338)	1/89	89
2	Pendant Light	-248'		(337)	1/90	90

Lineset 9

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	Pendant Light	-244'-5"		(376)	1/91	91







Lineset 10

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	Chandelier	-246'-3"		(368)	1/92	92





SL Boom 1

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	Martin Mac Aura	-159'-6"		(212)	4/450	71







SL Boom 2

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	ETC Source4 36deg	-172'-4"	 R3202+R119	(412)	1/131	131
2	ETC Source4 36deg	-172'-4"	 R3202+R119	(226)	1/132	132
3	ETC Source4 36deg	-172'-4"	 R02+R119	(301)	1/32	32
4	ETC Source4 36deg	-172'-4"	 R3208+R119	(216)	1/31	31
5	ETC Source4 26deg	-172'-4"	 R3208+R119	(354)	1/30	30
6	ETC Source4 36deg	-172'-4"	 R3206+R119	(206)	1/29	29

SL Boom 3

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	ETC Source4 36deg	-184'-10"	 R3202+R119	(414)	1/28	28
2	ETC Source4 36deg	-184'-10"	 R3202+R119	(228)	1/27	27
3	ETC Source4 36deg	-184'-10"	 R3208+R119	(218)	1/26	26
4	ETC Source4 36deg	-184'-10"	 R3206+R119	(208)	1/25	25

SL Light Ladder

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	ETC Lustr2 50deg	-199'-2"		(422)	2/220	E1
2	ETC Source4 36deg	-194'-3"	 R3202+R119	(416)	1/159	159
3	ETC Source4 36deg	-194'-3"	 R3202+R119	(230)	1/160	160
4	ETC Source4 26deg	-195'-8"	 R3208+R119	(375)	1/161	161
5	ETC Source4 36deg	-194'-3"	 R3208+R119	(220)	1/162	162
6	ETC Source4 19deg	-199'-2"	 R3206+R119	(5)	1/163	163
7	ETC Source4 36deg	-194'-3"	 R3206+R119	(210)	1/164	164






SL Floor Plate

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	ETC Lustr2 50deg	-208'-7"		(424)	2/260	E2





SR Boom 1

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	Martin Mac Aura	-78'-8"		(211)	4/425	47





SR Boom 2

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	ETC Source4 36deg	-90'-2"	 R3202+R119	(411)	1/5	5
2	ETC Source4 36deg	-90'-2"	 R3202+R119	(225)	1/6	6
3	ETC Source4 36deg	-90'-2"	 N/C	(300)	1/7	7
4	ETC Source4 36deg	-90'-2"	 R3208+R119	(215)	1/8	8
5	ETC Source4 36deg	-90'-2"	 R3206+R119	(205)	1/9	9

SR Boom 3

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	ETC Source4 36deg	-102'-10"	 R3202+R119	(413)	2/7	T7
2	ETC Source4 36deg	-102'-10"	 R3202+R119	(227)	2/8	T8
3	ETC Source4 36deg	-102'-10"	 R3208+R119	(217)	2/9	T9
4	ETC Source4 36deg	-102'-10"	 R3206+R119	(207)	2/10	T10

SR Light Ladder

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	ETC Lustr2 50deg	-118'-1"		(421)	2/200	E3
2	ETC Source4 36deg	-113'-2"	 R3202+R119	(415)	2/1	T1
3	ETC Source4 36deg	-113'-2"	 R3202+R119	(229)	2/2	T2
4	ETC Source4 36deg	-113'-2"	 R3208+R119	(219)	2/3	T3
5	ETC Source4 36deg	-113'-2"	 R3206+R119	(209)	2/4	T4

SR Floor Plate

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	ETC Lustr2 50deg	-126'-3"		(423)	2/240	E4

Matrix Boom 1

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	Altman PAR 64 VNSP	-288'-4"	<input type="radio"/> N/C	(601)	1/77	77
2	Altman PAR 64 VNSP	-288'-4"	<input type="radio"/> N/C	(601)	1/77	77

Matrix Boom 2

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	Altman PAR 64 VNSP	-285'-4"	<input type="radio"/> N/C	(611)	1/37	37
2	Altman PAR 64 VNSP	-285'-4"	<input type="radio"/> N/C	(602)	1/78	78
3	Altman PAR 64 VNSP	-285'-4"	<input type="radio"/> N/C	(602)	1/78	78

Matrix Boom 3

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	Altman PAR 64 VNSP	-282'-4"	<input type="radio"/> N/C	(612)	1/14	14
2	Altman PAR 64 VNSP	-282'-4"	<input type="radio"/> N/C	(603)	1/13	13
3	Altman PAR 64 VNSP	-282'-4"	<input type="radio"/> N/C	(603)	1/13	13

Matrix Boom 4

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	Altman PAR 64 VNSP	-279'-4"	<input type="radio"/> N/C	(613)	1/16	16
2	Altman PAR 64 VNSP	-279'-4"	<input type="radio"/> N/C	(613)	1/16	16
3	Altman PAR 64 VNSP	-279'-4"	<input type="radio"/> N/C	(604)	1/15	15
4	Altman PAR 64 VNSP	-279'-4"	<input type="radio"/> N/C	(604)	1/15	15

Matrix Boom 5

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	Altman PAR 64 VNSP	-276'-4"	<input type="radio"/> N/C	(614)	1/18	18
2	Altman PAR 64 VNSP	-276'-4"	<input type="radio"/> N/C	(614)	1/18	18
3	Altman PAR 64 VNSP	-276'-4"	<input type="radio"/> N/C	(605)	1/17	17
4	Altman PAR 64 VNSP	-276'-4"	<input type="radio"/> N/C	(605)	1/17	17

Matrix Boom 6

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	Altman PAR 64 VNSP	-273'-4"	<input type="radio"/> N/C	(615)	1/24	24
2	Altman PAR 64 VNSP	-273'-4"	<input type="radio"/> N/C	(615)	1/24	24
3	Altman PAR 64 VNSP	-273'-4"	<input type="radio"/> N/C	(606)	1/23	23
4	Altman PAR 64 VNSP	-273'-4"	<input type="radio"/> N/C	(606)	1/23	23

Matrix Boom 7

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	Altman PAR 64 VNSP	-270'-4"	<input type="radio"/> N/C	(616)	1/22	22
2	Altman PAR 64 VNSP	-270'-4"	<input type="radio"/> N/C	(616)	1/22	22
3	Altman PAR 64 VNSP	-270'-4"	<input type="radio"/> N/C	(607)	1/21	21
4	Altman PAR 64 VNSP	-270'-4"	<input type="radio"/> N/C	(607)	1/21	21

Matrix Boom 8

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	Altman PAR 64 VNSP	-267'-4"	<input type="radio"/> N/C	(617)	1/20	20
2	Altman PAR 64 VNSP	-267'-4"	<input type="radio"/> N/C	(608)	1/19	19
3	Altman PAR 64 VNSP	-267'-4"	<input type="radio"/> N/C	(608)	1/19	19

Matrix Boom 9

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	Altman PAR 64 VNSP	-264'-4"	<input type="radio"/> N/C	(618)	1/39	39
2	Altman PAR 64 VNSP	-264'-4"	<input type="radio"/> N/C	(609)	1/38	38
3	Altman PAR 64 VNSP	-264'-4"	<input type="radio"/> N/C	(609)	1/38	38

Matrix Boom 10

U#	Instrument Type & Accessory	XCoord	Color & Gobo	Chan	Address	Dim
1	Altman PAR 64 VNSP	-261'-4"	<input type="radio"/> N/C	(610)	1/40	40
2	Altman PAR 64 VNSP	-261'-4"	<input type="radio"/> N/C	(610)	1/40	40